ELSEVIER

Neuroscience Letters 283 (2000) 240–242

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 283

Volume 283, no. 1

Guidelines for the submission of manuscripts v

Differential effects of melanocortin peptides on ingestive behaviour in rats: evidence against the involvement of MC_3 receptor in the regulation of food intake
A. Kask, L. Rägo, J.E.S. Wikberg, H.B. Schiöth (Estonia, Sweden) 1

A melanocortin agonist reduces neuronal firing rate in rat hypothalamic slices
T.M. Fong, L.H.T. Van der Ploeg (USA) 5

Cholinergic deafferentation of the rabbit cortex: a new animal model of Aβ deposition
T.G. Beach, P.E. Potter, Y.-M. Kuo, M.R. Emmerling, R.A. Durham, S.D. Webster, D.G. Walker, L.I. Sue, S. Scott, K.J. Layne, A.E. Roher (USA) 9

Cerebral trypsinogen expression in human and rat cerebrospinal fluid
G. Critchley, N. Sumar, K. O'Neill, J. Hermon-Taylor, B.A. Bell (UK) 13

During pain-avoidance neurons activated in the macaque anterior cingulate and caudate
T. Koyama, K. Kato, A. Mikami (Japan) 17

The source generator of respiratory-related anxiety potential in the human brain
Y. Masaoka, I. Homma (Japan) 21

Choline plus cytidine stimulate phospholipid production, and the expression and secretion of amyloid precursor protein in rat PC12 cells
C.-S. Wang, R.K.K. Lee (USA) 25

Phosphorylated cAMP response element binding protein increases in neurokinin-1 receptor-immunoreactive neurons in rat spinal cord in response to formalin-induced nociception
L.E. Anderson, V.S. Seybold (USA) 29

GABAergic presynaptic inhibition of rat neostriatal afferents is mediated by Q-type Ca^{2+} channels
J. Barral, S. Toro, E. Galarraga, J. Bargas (Mexico) 33

Anxiolytic-like effects in rats produced by ventral pallidal injection of both N- and C-terminal fragments of substance P
S. Nikolaus, J.P. Huston, R.U. Hasenöhrl (Germany) 37

Inhibition of Na^+,K^+-ATPase activity in cultured rat cerebellar granule cells prevents the onset of apoptosis induced by low potassium
N.K. Isaev, E.V. Stelmashook, A. Halle, C. Harms, M. Lautenschlager, M. Weih, U. Dirnagl, I.V. Victorov, D.B. Zorov (Russia, Germany) 41

Vascular endothelial growth factor expression under ischemic stress in human meningiomas
K. Park, J.H. Kim, D.-H. Nam, J.-I. Lee, J.-S. Kim, S.-C. Hong, H.-J. Shin, W. Eoh, K. Park (South Korea) 45

The echidna manifests typical characteristics of rapid eye movement sleep
S.C. Nicol, N.A. Andersen, N.H. Phillips, R.J. Berger (Australia, USA) 49

An alternative pathway of nitric oxide production by rat astrocytes requires specific antigen and T cell contact
B.-G. Xiao, L.-Y. Xu, J.-S. Yang, Y.-M. Huang, H. Link (Sweden) 53

Peroxiredoxin I (macrophage 23 kDa stress protein) is highly and widely expressed in the rat nervous system
H. Mizusawa, T. Ishii, S. Bannai (Japan) 57

Co-expression of calcium signaling components in vertebrate taste bud cells
M. Asano-Miyoshi, K. Abe, Y. Emori (Japan) 61

Multi-muscle control of head movements in monkeys: the referent configuration hypothesis
F.G. Lestienne, F. Thullier, P. Archambault, M.F. Levin, A.G. Feldman (France, Canada) 65

Decline of the monkey's limbic and prefrontal activity during task repetition
T. Tsujimoto, M. Ogawa, H. Tsukada, T. Kakiuchi, K. Sasaki (Japan) 69

Postnatal naltrindole treatments induce behavioural modifications in preweanling rats
B. Fernández, E.M. Romero, I. Kitchen, M. Paz Viveros (Spain, UK) 73

Myelin basic protein induces cell death of mature pig oligodendrocytes in vitro and produces demyelination in vivo
H.H. Althaus, S. Klöppner, G. Rohde, N. Parvizi, P. Schwartz, W. Brück, W. Holtz (Germany) 77

ELSEVIER

Neuroscience Letters 283 (2000) 240–242

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 283

Volume 283, no. 1

Guidelines for the submission of manuscripts v

Differential effects of melanocortin peptides on ingestive behaviour in rats: evidence against the involvement of MC_3 receptor in the regulation of food intake
A. Kask, L. Rägo, J.E.S. Wikberg, H.B. Schiöth (Estonia, Sweden) 1

A melanocortin agonist reduces neuronal firing rate in rat hypothalamic slices
T.M. Fong, L.H.T. Van der Ploeg (USA) 5

Cholinergic deafferentation of the rabbit cortex: a new animal model of Aβ deposition
T.G. Beach, P.E. Potter, Y.-M. Kuo, M.R. Emmerling, R.A. Durham, S.D. Webster, D.G. Walker, L.I. Sue, S. Scott, K.J. Layne, A.E. Roher (USA) 9

Cerebral trypsinogen expression in human and rat cerebrospinal fluid
G. Critchley, N. Sumar, K. O'Neill, J. Hermon-Taylor, B.A. Bell (UK) 13

During pain-avoidance neurons activated in the macaque anterior cingulate and caudate
T. Koyama, K. Kato, A. Mikami (Japan) 17

The source generator of respiratory-related anxiety potential in the human brain
Y. Masaoka, I. Homma (Japan) 21

Choline plus cytidine stimulate phospholipid production, and the expression and secretion of amyloid precursor protein in rat PC12 cells
C.-S. Wang, R.K.K. Lee (USA) 25

Phosphorylated cAMP response element binding protein increases in neurokinin-1 receptor-immunoreactive neurons in rat spinal cord in response to formalin-induced nociception
L.E. Anderson, V.S. Seybold (USA) 29

GABAergic presynaptic inhibition of rat neostriatal afferents is mediated by Q-type Ca^{2+} channels
J. Barral, S. Toro, E. Galarraga, J. Bargas (Mexico) 33

Anxiolytic-like effects in rats produced by ventral pallidal injection of both N- and C-terminal fragments of substance P
S. Nikolaus, J.P. Huston, R.U. Hasenöhrl (Germany) 37

Inhibition of Na^+,K^+-ATPase activity in cultured rat cerebellar granule cells prevents the onset of apoptosis induced by low potassium
N.K. Isaev, E.V. Stelmashook, A. Halle, C. Harms, M. Lautenschlager, M. Weih, U. Dirnagl, I.V. Victorov, D.B. Zorov (Russia, Germany) 41

Vascular endothelial growth factor expression under ischemic stress in human meningiomas
K. Park, J.H. Kim, D.-H. Nam, J.-I. Lee, J.-S. Kim, S.-C. Hong, H.-J. Shin, W. Eoh, K. Park (South Korea) 45

The echidna manifests typical characteristics of rapid eye movement sleep
S.C. Nicol, N.A. Andersen, N.H. Phillips, R.J. Berger (Australia, USA) 49

An alternative pathway of nitric oxide production by rat astrocytes requires specific antigen and T cell contact
B.-G. Xiao, L.-Y. Xu, J.-S. Yang, Y.-M. Huang, H. Link (Sweden) 53

Peroxiredoxin I (macrophage 23 kDa stress protein) is highly and widely expressed in the rat nervous system
H. Mizusawa, T. Ishii, S. Bannai (Japan) 57

Co-expression of calcium signaling components in vertebrate taste bud cells
M. Asano-Miyoshi, K. Abe, Y. Emori (Japan) 61

Multi-muscle control of head movements in monkeys: the referent configuration hypothesis
F.G. Lestienne, F. Thullier, P. Archambault, M.F. Levin, A.G. Feldman (France, Canada) 65

Decline of the monkey's limbic and prefrontal activity during task repetition
T. Tsujimoto, M. Ogawa, H. Tsukada, T. Kakiuchi, K. Sasaki (Japan) 69

Postnatal naltrindole treatments induce behavioural modifications in preweanling rats
B. Fernández, E.M. Romero, I. Kitchen, M. Paz Viveros (Spain, UK) 73

Myelin basic protein induces cell death of mature pig oligodendrocytes in vitro and produces demyelination in vivo
H.H. Althaus, S. Klöppner, G. Rohde, N. Parvizi, P. Schwartz, W. Brück, W. Holtz (Germany) 77

Statistical probability mapping reveals high-frequency magnetoencephalographic activity in supplementary motor area during self-paced finger movements
J. Kaiser, W. Lutzenberger, H. Preissl, D. Mosshammer, N. Birbaumer (Germany, Italy) 81

Volume 283, no. 2

Immunohistochemical localization of *N*-methyl-D-aspartate receptor NR1, NR2A, NR2B and NR2C/D subunits in the adult mammalian cerebellum
C.L. Thompson, D.L. Drewery, H.D. Atkins, F.A. Stephenson, P.L. Chazot (UK) 85
Intracerebroventricular infusion of leptin decreases serotonin transporter binding sites in the frontal cortex of the rat
Y. Charnay, I. Cusin, P.G. Vallet, P. Muzzin, F. Rohner-Jeanrenaud, C. Bouras (Switzerland) 89
Effects of attention on phase transitions between bimanual coordination patterns: a behavioral and cost analysis in humans
A. Monno, A. Chardenon, J.J. Temprado, P.G. Zanone, M. Laurent (France) 93
Cocaine- and amphetamine-regulated transcript-immunoreactivity in the rat sympatho-adrenal axis
N.J. Dun, S.L. Dun, E.H. Kwok, J. Yang, J.-K. Chang (USA) 97
Immunohistochemical localization of γ-aminobutyric $acid_B$ receptor in the hippocampus of subjects with schizophrenia
K. Mizukami, M. Sasaki, M. Ishikawa, M. Iwakiri, S. Hidaka, H. Shiraishi, S. Iritani (Japan) 101
Electrophysiologic signs of auditory competition in the human brain
M.R. Hymel, J.L. Cranford, M. Carpenter, D. Holbert (USA) 105
Association between an interleukin-6 promoter and 3′ flanking region haplotype and reduced Alzheimer's disease risk in a German population
M. Bagli, A. Papassotiropoulos, M. Knapp, F. Jessen, M. Luise Rao, W. Maier, R. Heun (Germany) 109
Formalin-induced central sensitization in the rat: somatosensory evoked potential data
P. Lebrun, J. Manil, F. Colin (Belgium) 113
Vestibular nucleus *N*-methyl-D-aspartate receptors contribute to spontaneous nystagmus generation following unilateral labyrinthectomy in Guinea pigs
A.J. Sansom, P.F. Smith, C.L. Darlington, R. Laverty (New Zealand) 117
Immunolocalization of dystrobrevin in the astrocytic endfeet and endothelial cells in the rat cerebellum
H. Ueda, T. Baba, N. Terada, Y. Kato, Y. Fujii, I. Takayama, X. Mei, S. Ohno (Japan) 121
Differential effects of quinolinic acid lesions of the medial prefrontal cortex on the expression of morphine- and dizocilpine- induced behavioural plasticity in the rat
T.M. Tzschentke, W.J. Schmidt (Germany) 125
Cloning of cytidine triphosphate: phosphocholine cytidylyltransferase mRNA upregulated by a neuropeptide arginine-$vasopressin_{(4-8)}$ in rat hippocampus
Y. Xiong, X.-l. Liu, Y. Wang, Y.-c. Du (People's Republic of China) 129
Increased expression of ciliary neurotrophic factor receptor α mRNA in the ischemic rat retina
W.-K. Ju, M.-Y. Lee, H.-D. Hofmann, M. Kirsch, S.-J. Oh, J.-W. Chung, M.-H. Chun (South Korea, Germany) 133
Calcitonin gene-related peptide produces skeletal muscle vasodilation following antidromic stimulation of unmyelinated afferents in the dorsal root in rats
A. Sato, Y. Sato, M. Shimura, S. Uchida (Japan) 137
High Ca^{2+}/low Mg^{2+} solution induces long-term depression in rat CA1 pyramidal neurons
S.-T. Li, K. Kato, K. Mikoshiba (Japan) 141
3-Nitropropionic acid preconditioning ameliorates delayed neurological deterioration and infarction after transient focal cerebral ischemia in gerbils
T. Kuroiwa, I. Yamada, S. Endo, Y. Hakamata, U. Ito (Japan) 145
Localization of ionotropic glutamate receptors in peripheral axons of human skin
I. Kinkelin, E.-B. Bröcker, M. Koltzenburg, S.M. Carlton (Germany, USA) 149
Differential effects of MK-801, a *N*-methyl-D-aspartate non-competitive antagonist, on the dorsal horn neuron hyperactivity and hyperexcitability in neuropathic rats
M.L. Sotgiu, G. Biella (Italy) 153
Attachment of primary neonatal rat astrocytes to vitronectin is mediated by integrins $\alpha v\beta 5$ and $\alpha 8\beta 1$: modulation by the type 1 plasminogen activator inhibitor
C.L. Gladson, J.E. Stewart Jr., M.A. Olman, P.-L. Chang, L.M. Schnapp, J.R. Grammer, E.N. Benveniste (USA) 157
Localized brain activation by selective tasks improves specific cognitive functions in humans
A.S. Chan, M.-C. Cheung, Y.-C. Ho, W. Jing He (China) 162

Volume 283, no. 3

Association of tenascin-R with murine brain myelin membranes: involvement of divalent cations
P. Pesheva, R. Probstmeier (Germany) 165
Effects on dystrophic (*dy/dy*) limb muscle of the K^+ channel blocker tetraethylammonium
P. Manubay, E. van Lunteren (USA) 169

On the fractal properties of natural human standing
M. Duarte, V.M. Zatsiorsky (Brazil, USA) 173
The human astrocytoma cell line U373MG produces monocyte chemotactic protein (MCP)-1 upon stimulation with β-amyloid protein
E. Prat, P. Baron, L. Meda, E. Scarpini, D. Galimberti, G. Ardolino, A. Catania, G. Scarlato (Italy) 177
Distribution of heat shock protein 108 mRNA in the chicken central nervous system
D.H. Shin, H.J. Kim, H.Y. Lee, K.H. Lee, G.S. Jeon, J.H. Seo, S.H. Baik, S.S. Cho (South Korea) 181
Localisation of tachykinin NK_1 and NK_3 receptors in the human prefrontal and visual cortex
P.A. Tooney, G.G. Au, L.A. Chahl (Australia) 185
Differential activation of Fos-like immunoreactivity in the arcuate nucleus and amygdala after intracerebroventricular injection of sodium nitroprusside and N^{ω} nitro-L-arginine in conscious and urethane-anesthetized lactating rats
C.O. Okere, H. Kaba, T. Higuchi (Japan) 189
Extracellular toxicity of 6-hydroxydopamine on PC12 cells
D. Blum, S. Torch, M.-F. Nissou, A.-L. Benabid, J.-M. Verna (Belgium, France) 193
Doxorubicin, an RNA synthesis inhibitor, prevents vasoconstriction and inhibits aberrant expression of endothelin-1 in the cerebral vasospasm model of the rat
M.G. Mostafa, T. Mima, T. Taniguchi, K. Mori (Japan) 197
Individual differences in autonomic activity affects brainstem auditory frequency-following response amplitude in humans
G.C. Galbraith, C.E. Buranahirun, J. Kang, O.V. Ramos, S.E. Lunde (USA) 201
The difference in temporal distribution of c-Fos immunoreactive neurons between the medullary dorsal horn and the trigeminal subnucleus oralis in the rat following experimental tooth movement
Y. Fujiyoshi, T. Yamashiro, T. Deguchi, T. Sugimoto, T. Takano-Yamamoto (Japan) 205
Binding and internalization of leptin by porcine choroid plexus cells in culture
C. Peiser, G.P. McGregor, R.E. Lang (Germany) 209
Autoradiographic distribution of μ-, δ- and κ_1-opioid stimulated [^{35}S]guanylyl-5′-O-(γ-thio)-triphosphate binding in human frontal cortex and cerebellum
S. Platzer, A. Winkler, J. Schadrack, D. Dworzak, T.R. Tölle, W. Zieglgänsberger, R. Spanagel (Germany) 213
The pathogenic L392V mutation of presenilin 1 decreases the affinity to glycogen synthase kinase-3β
R. Gantier, D. Gilbert, C. Dumanchin, D. Campion, D. Davoust, F. Toma, T. Frébourg (France) 217
Expression of prostaglandin E synthase mRNA is induced in beta-amyloid treated rat astrocytes
K. Satoh, Y. Nagano, C. Shimomura, N. Suzuki, Y. Saeki, H. Yokota (Japan) 221
Enantio-selective occurrence of (*S*)-tetrahydropapaveroline in human brain
K. Sango, W. Maruyama, K. Matsubara, P. Dostert, C. Minami, M. Kawai, M. Naoi (Japan, France) 224
Decrease of adenosine A-1 receptor gene expression in cerebral cortex of aged rats
J.-T. Cheng, I-M. Liu, S.-W. Juang, S.-B. Jou (Republic of China) 227
Intracerebral injection of autologous whole blood in rats: time course of inflammation and cell death
M. Xue, M.R. Del Bigio (Canada) 230
Early kynurenergic impairment in Huntington's Disease and in a transgenic animal model
P. Guidetti, P. Hemachandra Reddy, D.A. Tagle, R. Schwarcz (USA) 233

Author Index to Volume 283 236
Contents to Volume 283 240